



*Roofing for outdoor spaces*

## **Flashings Manual**

## Apollo Roofing Solutions

### Head Office

29 Corymbia Place, Parkinson QLD 4115

### Phone

(07) 3086 6099

### Website

[www.apolloroofingsolutions.com.au](http://www.apolloroofingsolutions.com.au)

## Document Control

### Date

February 2026

**© Use of this document by unauthorised persons is prohibited.**

All drawings and information is protected by copyright and the property of Apollo Home Improvement QLD Pty Ltd and Apollo Home Improvement AUST Pty Ltd. It is subject to our recall and may not be reproduced or its contents divulged without written authority.





# Contents

## Trimlink

50mm	4
75mm	14
100mm	24
125mm	34
150mm	42
175mm	50
200mm	59

## Corrugated


50mm	68
75mm	77
100mm	86
125mm	95
150mm	102
175mm	111
200mm	120

## Other Flashings


Apollo - Z - Flashing	130
Apollo Flashing - A	131
Single Skin Standard Barge	132
Structural Box Gutter - A	133
Gutter Beam Bracket	134
End Caps - A	135
Trimlink Ridge Cap 0.55mm	136
Trimlink Top Flashing - A	137
Apollo Standard Corrugated Ridge Cap	138
Corrugated Top Flashing Insulated	139



**Trimlink • 50mm**



1 : 1.5 Trimlink 50mm Receiver Channel - A - 231 J




1 : 2 Flat Pattern Trimlink 50mm Receiver Channel - A - 231 J


SPECIFICATION	UNIT
MATERIAL	G-300
THICKNESS	1.2MM
GIRTH	398MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	90
B.3	DOWN	92

COLOUR



1 : 1 Trimlink 50mm Receiver Channel - A - 231P




1 : 2 Flat Pattern Trimlink 50mm Receiver Channel - A - 231P

SPECIFICATION	UNIT
MATERIAL	G-300
THICKNESS	1.2MM
GIRTH	350MM
BENDS	3


BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	92
B.2	DOWN	92
B.3	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
		Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			Trimlink 50mm Receiver Channel - A - 231 P A231P
				Edition 1	Sheet 1 / 1

6 5 4 3 2 1



1 : 1 Trimlink 50mm Receiver Channel - A - 231



1 : 2 Flat Pattern Trimlink 50mm Receiver Channel - A - 231

SPECIFICATION	UNIT
MATERIAL	G-300
THICKNESS	1.2MM
GIRTH	350MM
BENDS	4

BEND DESCRIPTION		
BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	92
B.3	DOWN	92


Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			Trimlink 50mm Receiver Channel - A - 231		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A231	Edition 1	Sheet 1 / 1

6 5 4 3 2 1

6 5 4 3 2 1

D


D



1 : 1.5 Trimlink 50mm Barge Flashing - A - 232

C

C



1 : 2 Flat Pattern Trimlink 50mm Barge Flashing - A - 232

B

B

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	442MM
BENDS	5


BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	95
B.3	DOWN	95
B.4	DOWN	45

A


A

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
 <b>Apollo Roofing Solutions</b> Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			Trimlink 50mm Barge Flashing 1 - A - 232		
			A232	Edition 1	Sheet 1 / 1

6 5 4 3 2 1



2 : 1 Trimlink 50mm Under Flashing - A - 233




1 : 1 Flat Pattern Trimlink 50mm Under Flashing - A - 233

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	140MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	UP	15
B.3	DOWN	105
B.4	DOWN	180

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
 Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au		Trimlink 50mm Under Flashing - A - 233			
		A233	Edition 1	Sheet 1 / 1	




1 : 150mm Trimlink Receiver Channel (to suit Drip Guard Flashing) - A231001




1 : 2 Flat Pattern 50mm Trimlink Receiver Channel (to suit Drip Guard Flashing) - A231001

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	308MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5



1 : 1.5 50mm Trimlink Side Barge Flashing (inc Drip Guard) - A232001




1 : 3 Flat Pattern 50mm Trimlink Side Barge Flashing (inc Drip Guard) - A232001

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	617MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
		50mm Trimlink Side Barge Flashing (inc Drip Guard) - A232001			
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au		A232001	Edition 1	Sheet 1 / 1	



1 : 1.5 50mm Trimlink Back Barge Flashing (inc Drip Guard) - A232201




1 : 3 Flat Pattern 50mm Trimlink Back Barge Flashing (inc Drip Guard) - A232201


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	492MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			50mm Trimlink Back Barge Flashing (inc Drip Guard) - A232201		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232201	Edition 1	Sheet 1 / 1



1 : 1 50mm Trimlink Fascia Flashing (inc Drip Guard) - A233001




1 : 2 Flat Pattern 50mm Trimlink Fascia Flashing (inc Drip Guard) - A233001


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	247MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90


Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
 <b>Apollo Roofing Solutions</b> Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			50mm Trimlink Fascia Flashing (inc Drip Guard) - A233001		
A233001			Edition 1	Sheet 1 / 1	

A large, dark blue geometric shape, resembling a stylized arrow or a thick 'L' rotated 45 degrees, is positioned on the left side of the page. It has a sharp point on the right and a horizontal base on the left.

**Trimlink • 75mm**




1 : 1 Trimlink 75mm Receiver Channel - A - 235 J




1 : 2 Flat Pattern Trimlink 75mm Receiver Channel - A - 235 J

SPECIFICATION	UNIT
MATERIAL	G-300
THICKNESS	1.2MM
GIRTH	425MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	90
B.3	DOWN	92




1 : 1 Trimlink 75mm Receiver Channel - A - 235 P




1 : 2 Flat Pattern Trimlink 75mm Receiver Channel - A - 235 P

SPECIFICATION	UNIT
MATERIAL	G-300
THICKNESS	1.2MM
GIRTH	400MM
BENDS	3

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	92
B.2	DOWN	92
B.3	DOWN	5




1 : 1 Trimlink 75mm Receiver Channel - A - 235




1 : 2 Flat Pattern Trimlink 75mm Receiver Channel - A - 235

SPECIFICATION	UNIT
MATERIAL	G-300
THICKNESS	1.2MM
GIRTH	405MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	92
B.3	DOWN	92




1 : 1.5 Trimlink 75mm Barge Flashing - A - 236




1 : 2 Flat Pattern Trimlink 75mm Barge Flashing - A - 236

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	475MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	95
B.3	DOWN	95
B.4	DOWN	45




1.5 : 1 Trimlink 75mm Under Flashing - A – 237




1 : 1 Flat Pattern Trimlink 75mm Under Flashing - A – 237

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	165MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	UP	15
B.3	DOWN	105
B.4	DOWN	180




1 : 1 75mm Trimlink Receiver Channel (suits Drip Guard) - A231002




1 : 2 Flat Pattern 75mm Trimlink Receiver Channel (suits Drip Guard) - A231002

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	333
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5



1 : 1.5 75mm Trimlink Side Barge Flashing (inc Drip Guard) - A232002




1 : 3 Flat Pattern 75mm Trimlink Side Barge Flashing (inc Drip Guard) - A232002


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	642MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			75mm Trimlink Side Barge Flashing (inc Drip Guard) - A232002		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232002	Edition 1	Sheet 1 / 1



1 : 1.5 75mm Trimlink Back Barge Flashing (inc Drip Guard) - A232202




1 : 3 Flat Pattern 75mm Trimlink Back Barge Flashing (inc Drip Guard) - A232202


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	517MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			75mm Trimlink Back Barge Flashing (inc Drip Guard) - A232202		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232202	Edition 1	Sheet 1 / 1



1 : 1 75mm Trimlink Fascia Flashing (inc Drip Guard) - A233002



1 : 2 Flat Pattern 75mm Trimlink Fascia Flashing (inc Drip Guard) - A233002


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	272MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90


Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			75mm Trimlink Fascia Flashing (inc Drip Guard) - A233002		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A233002	Edition 1	Sheet 1 / 1



**Trimlink • 100mm**




1 : 1.5 Trimlink 100mm Reciever Channel - A - 239 J




1 : 2 Flat Pattern Trimlink 100mm Reciever Channel - A - 239 J

SPECIFICATION	UNIT
MATERIAL	G-300
THICKNESS	1.2MM
GIRTH	450MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	90
B.3	DOWN	92




1 : 1.5 Trimlink 100mm Reciever Channel - A - 239 P




1 : 2 Flat Pattern Trimlink 100mm Reciever Channel - A - 239 P

SPECIFICATION	UNIT
MATERIAL	G-300
THICKNESS	1.2MM
GIRTH	450MM
BENDS	3

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	92
B.3	DOWN	92




1 : 1.5 Trimlink 100mm Reciever Channel - A - 239




1 : 2 Flat Pattern Trimlink 100mm Reciever Channel - A - 239

SPECIFICATION	UNIT
MATERIAL	G-300
THICKNESS	1.2MM
GIRTH	450MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	92
B.3	DOWN	92




1 : 1.5 Trimlink 100mm Barge Flashing - A - 2391




1 : 3 Flat Pattern Trimlink 100mm Barge Flashing - A - 2391

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	500MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	95
B.3	DOWN	95
B.4	DOWN	45



1 : 1.5 100mm Trimlink Receiver Channel (suits Drip Guard) - A231003




1 : 2 Flat Pattern 100mm Trimlink Receiver Channel (suits Drip Guard) - A231003


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	358MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
 Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			100mm Trimlink Receiver Channel (suits Drip Guard) - A231003		
A231003			Edition 1	Sheet 1 / 1	




1 : 1.5 100mm Trimlink Back Barge Flashing (inc Drip Guard) - A232203




1 : 3 Flat Pattern 100mm Trimlink Back Barge Flashing (inc Drip Guard) - A232203

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	542MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5



1 : 1 100mm Trimlink Fascia Flashing (inc Drip Guard) - A233003




1 : 2 Flat Pattern 100mm Trimlink Fascia Flashing (inc Drip Guard) - A233003


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	297MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
 <b>Apollo Roofing Solutions</b> Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			100mm Trimlink Fascia Flashing (inc Drip Guard) - A233003		
A233003			Edition 1	Sheet 1 / 1	



1 : 1.5 100mm Trimlink Side Barge Flashing (inc Drip Guard) - A232003




1 : 3 Flat Pattern 100mm Trimlink Side Barge Flashing (inc Drip Guard) - A232003


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	667MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			100mm Trimlink Side Barge Flashing (inc Drip Guard) - A232003		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232003	Edition 1	Sheet 1 / 1



1 : 1 Trimlink 100mm Under Flashing - A - 2392




1 : 1 Flat Pattern Trimlink 100mm Under Flashing - A - 2392

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	190MM
BENDS	6


BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	UP	15
B.3	DOWN	105
B.4	DOWN	180



**Trimlink • 125mm**




1 : 1.5 Trimlink 125mm Reciever - A - 240 P



1 : 2 Flat Pattern Trimlink 125mm Reciever - A - 240 P

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	450MM
BENDS	3

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	92
B.3	DOWN	92




1 : 1.5 Trimlink 125mm Side Barge - A - 2401




1 : 3 Flat Pattern Trimlink 125mm Side Barge - A - 2401

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	520MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	92
B.3	DOWN	92
B.4	DOWN	45




1 : 1 Trimlink 125mm Under Flashing - A - 2402




1 : 2 Flat Pattern Trimlink 125mm Under Flashing - A - 2402

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	210MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	UP	15
B.3	DOWN	105
B.4	DOWN	180




1 : 1.5 125mm Trimlink Receiver Channel (suits Drip Guard) - A231004




1 : 2 Flat Pattern 125mm Trimlink Receiver Channel (suits Drip Guard) - A231004

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	383MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5



1 : 1.5 125mm Trimlink Side Barge Flashing (inc Drip Guard) - A232004




1 : 3 Flat Pattern 125mm Trimlink Side Barge Flashing (inc Drip Guard) - A232004

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	692MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			125mm Trimlink Side Barge Flashing (inc Drip Guard) - A232004		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232004	Edition 1	Sheet 1 / 1



1 : 1.5 125mm Trimlink Back Barge Flashing (inc Drip Guard) - A232204




1 : 3 Flat Pattern 125mm Trimlink Back Barge Flashing (inc Drip Guard) - A232204


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	567MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			125mm Trimlink Back Barge Flashing (inc Drip Guard) - A232204		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232204	Edition 1	Sheet 1 / 1



1 : 1.5 125mm Trimlink Fascia Flashing (inc Drip Guard) - A233004



1 : 2 Flat Pattern 125mm Trimlink Fascia Flashing (inc Drip Guard) - A233004

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	322MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
		125mm Trimlink Fascia Flashing (inc Drip Guard) - A233004			
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au		A233004	Edition 1	Sheet 1 / 1	




**Trimlink • 150mm**

6 5 4 3 2 1

D


D



1 : 1.5 Trimlink 150mm Reciever Channel - A - 241 J

C

C



1 : 2 Flat Pattern Trimlink 150mm Reciever Channel - A - 241 J

B

B

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	500MM
BENDS	4


BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	87
B.3	DOWN	96

A

A

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			Trimlink 150mm Reciever Channel - A - 241 J		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A241J	Edition 1	Sheet 1 / 1

6 5 4 3 2 1




1 : 1.5 Trimlink 150mm Barge Flashing - A - 247




1 : 3 Flat Pattern Trimlink 150mm Barge Flashing - A - 247

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	545MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	92
B.3	DOWN	92
B.4	DOWN	45




1 : 1 Trimlink 150mm Under Flashing - A - 2473




1 : 2 Flat Pattern Trimlink 150mm Under Flashing - A - 2473

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	240MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	UP	15
B.3	DOWN	105
B.4	DOWN	180




1 : 1.5 150mm Trimlink Receiver Channel (suits Drip Guard) - A231005



1 : 2 Flat Pattern 150mm Trimlink Receiver Channel (suits Drip Guard) - A231005

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	408MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5



1 : 2 150mm Trimlink Back Barge Flashing (inc Drip Guard) - A232205




1 : 3 Flat Pattern 150mm Trimlink Back Barge Flashing (inc Drip Guard) - A232205


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	592MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
 <b>Apollo Roofing Solutions</b> Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			150mm Trimlink Back Barge Flashing (inc Drip Guard) - A232205 A232205		
			Edition 1	Sheet 1 / 1	



1 : 2 150mm Trimlink Side Barge Flashing (inc Drip Guard) - A232005




1 : 3 Flat Pattern 150mm Trimlink Side Barge Flashing (inc Drip Guard) - A232005


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	717MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			150mm Trimlink Side Barge Flashing (inc Drip Guard) - A232005		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232005	Edition 1	Sheet 1 / 1



1 : 1.5 150mm Trimlink Fascia Flashing (inc Drip Guard) - A233005




1 : 2 Flat Pattern 150mm Trimlink Fascia Flashing (inc Drip Guard) - A233005

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	347MM
BENDS	5


BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90



**Trimlink • 175mm**



1 : 2 175mm Trimlink Receiver Channel - A24131




1 : 3 Flat Pattern 175mm Trimlink Receiver Channel - A24131

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	545MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	92
B.2	DOWN	92
B.3	DOWN	180

Designed by L. MULHERN	Checked by	Approved by	Date	Date 16/06/2024	A3
 <b>Apollo Roofing Solutions</b> Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au		175mm Trimlink Receiver Channel - A24131			
A24131			Edition 1	Sheet 1 / 1	




1:2 Trimlink 175mm Barge Flashing - A - 2471




1 : 3 Flat Pattern Trimlink 175mm Barge Flashing - A - 2471

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	570MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	92
B.3	DOWN	92
B.4	DOWN	45




1:2 Trimlink 175mm Reciever Channel - A - 24131 P




1 : 2 Flat Pattern Trimlink 175mm Reciever Channel - A - 24131 P

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	490MM
BENDS	3

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	92
B.2	UP	92
B.3	UP	5



1 : 1 Trimlink 175mm Under Flashing - A - 24731




1 : 2 Flat Pattern Trimlink 175mm Under Flashing - A - 24731


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	260MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	105
B.3	UP	15
B.4	DOWN	180

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			Trimlink 175mm Under Flashing - A - 24731		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A24731	Edition 1	Sheet 1 / 1




1 : 1.5 175mm Trimlink Receiver Channel (suits Drip Guard) - A231006




1 : 3 Flat Pattern 175mm Trimlink Receiver Channel (suits Drip Guard) - A231006

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	433MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5




1 : 2 175mm Trimlink Side Barge Flashing (inc Drip Guard) - A232006




1 : 3 Flat Pattern 175mm Trimlink Side Barge Flashing (inc Drip Guard) - A232006

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	742MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5




1 : 2 175mm Trimlink Back Barge Flashing (inc Drip Guard) - A232206




1 : 3 Flat Pattern 175mm Trimlink Back Barge Flashing (inc Drip Guard) - A232206

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	617MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5



1 : 1.5 175mm Trimlink Fascia Flashing (inc Drip Guard) - A233006



1 : 3 Flat Pattern 175mm Trimlink Fascia Flashing (inc Drip Guard) - A233006


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	372MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90


Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			175mm Trimlink Fascia Flashing (inc Drip Guard) - A233006		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A233006	Edition 1	Sheet 1 / 1



**Trimlink • 200mm**




1:2 Trimlink 200mm Barge Flashing - A - 2472




1 : 3 Flat Pattern Trimlink 200mm Barge Flashing - A - 2472

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	570MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	92
B.3	DOWN	92
B.4	DOWN	45




1:2 Trimlink 200mm Reciever Channel - A - 24132




1 : 2 Flat Pattern Trimlink 200mm Reciever Channel - A - 24132

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	545MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	92
B.2	UP	90
B.3	UP	180




1:2 Trimlink 200mm Receiver Channel - A - 24140 P




1 : 2 Flat Pattern Trimlink 200mm Receiver Channel - A - 24140 P

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	510MM
BENDS	3

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	92
B.2	UP	92
B.3	UP	5



1 : 1.5 Trimlink 200mm Under Flashing - A - 24732




1 : 2 Flat Pattern Trimlink 200mm Under Flashing - A - 24732


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	285MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	105
B.3	UP	15
B.4	DOWN	180

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			Trimlink 200mm Under Flashing - A - 24732		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A24732	Edition 1	Sheet 1 / 1




1 : 1.5 200mm Trimlink Receiver Channel (suits Drip Guard) - A231007




1 : 3 Flat Pattern 200mm Trimlink Receiver Channel (suits Drip Guard) - A231007

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	458MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5




1 : 2 200mm Trimlink Side Barge Flashing (inc Drip Guard) - A232007




1 : 3 Flat Pattern 200mm Trimlink Side Barge Flashing (inc Drip Guard) - A232007

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	767MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5




1 : 2 200mm Trimlink Back Barge Flashing (inc Drip Guard) - A232207




1 : 3 Flat Pattern 200mm Trimlink Back Barge Flashing (inc Drip Guard) - A232207

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	642MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	50
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5



1 : 2 200mm Trimlink Fascia Flashing (inc Drip Guard) - A233007



1 : 3 Flat Pattern 200mm Trimlink Fascia Flashing (inc Drip Guard) - A233007


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	397MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90


Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			200mm Trimlink Fascia Flashing (inc Drip Guard) - A233007		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A233007	Edition 1	Sheet 1 / 1



**Corrugated • 50mm**




1 : 1.5 50mm Corrugated Back Barge Flashing (inc Drip Guard) - A232208




1 : 3 Flat Pattern 50mm Corrugated Back Barge Flashing (inc Drip Guard) - A232208

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	413MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5




1 : 1 50mm Corrugated Fascia Flashing (inc Drip Guard) - A233008




1 : 2 Flat Pattern 50mm Corrugated Fascia Flashing (inc Drip Guard) - A233008

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	247MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90



1 : 1 Corrugated 50mm Barge - A - 2321




1 : 2 Flat Pattern Corrugated 50mm Barge - A - 2321


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	405MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	92
B.3	DOWN	92
B.4	DOWN	180

COLOUR




1 : 1 Corrugated 50mm Receiver Channel - A - 2311




1 : 2 Flat Pattern Corrugated 50mm Receiver Channel - A - 2311

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	370MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	87
B.3	DOWN	98




1 : 1 Corrugated 50mm Reciever Channel - A - 2311 J




1 : 2 Flat Pattern Corrugated 50mm Reciever Channel - A - 2311 J

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	365MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	87
B.3	DOWN	95




1 : 1 Corrugated 50mm Receiver Channel - A - 2311 P




1 : 2 Flat Pattern Corrugated 50mm Receiver Channel - A - 2311 P

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	360MM
BENDS	3

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	87
B.2	DOWN	92
B.3	DOWN	5



1 : 1.5 50mm Corrugated Side Barge Flashing (inc Drip Guard) - A232101




1 : 3 Flat Pattern 50mm Corrugated Side Barge Flashing (inc Drip Guard) - A232101


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	441MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			50mm Corro Side Barge Flashing (inc Drip Guard) - A232101		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232101	Edition 1	Sheet 1 / 1



1 : 1 50mm Corrugated Receiver Channel (suits Drip Guard) - A231008



1 : 2 Flat Pattern 50mm Corrugated Receiver Channel (suits Drip Guard) - A231008


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	299MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5


Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			50mm Corro Receiver Channel (suits Drip Guard) - A231008		
Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A231008	Edition 1	Sheet 1 / 1



**Corrugated • 75mm**



1 : 1.5 75mm Corrugated Side Barge Flashing (inc Drip Guard) - A232102




1 : 3 Flat Pattern 75mm Corrugated Side Barge Flashing (inc Drip Guard) - A232102


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	467MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			75mm Corro Side Barge Flashing (inc Drip Guard) - A232102		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232102	Edition 1	Sheet 1 / 1



1 : 1.5 75mm Corrugated Back Barge Flashing (inc Drip Guard) - A232209




1 : 3 Flat Pattern 75mm Corrugated Back Barge Flashing (inc Drip Guard) - A232209


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	439MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			75mm Corro Back Barge Flashing (inc Drip Guard) - A232209		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232209	Edition 1	Sheet 1 / 1



1 : 1 75mm Corrugated Receiver Channel (suits Drip Guard) - A231009




1 : 2 Flat Pattern 75mm Corrugated Receiver Channel (suits Drip Guard) - A231009


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	324MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			75mm Corro Receiver Channel (suits Drip Guard) - A231009		
Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A231009	Edition 1	Sheet 1 / 1




1 : 1 75mm Corrugated Fascia Flashing (inc Drip Guard) - A233009




1 : 2 Flat Pattern 75mm Corrugated Fascia Flashing (inc Drip Guard) - A233009

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	272MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90




1 : 1 Corrugated 75mm Barge - A - 2361




1 : 2 Flat Pattern Corrugated 75mm Barge - A - 2361

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	430MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	92
B.3	DOWN	92
B.4	DOWN	180




1 : 1 Corrugated 75mm Receiver - A - 2351




1 : 2 Flat Pattern Corrugated 75mm Receiver - A - 2351

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	395MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	87
B.3	DOWN	98




1 : 1 Corrugated 75mm Receiver - A - 2351 J




1 : 2 Flat Pattern Corrugated 75mm Receiver - A - 2351 J

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	415MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	87
B.3	DOWN	96



1 : 1 Corrugated 75mm Receiver - A - 2351 P




1 : 2 Flat Pattern Corrugated 75mm Receiver - A - 2351 P

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	385MM
BENDS	3


BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	87
B.2	DOWN	95
B.3	DOWN	5



**Corrugated • 100mm**



1 : 1.5 100mm Corrugated Side Barge Flashing (inc Drip Guard) - A232103




1 : 3 Flat Pattern 100mm Corrugated Side Barge Flashing (inc Drip Guard) - A232103

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	491MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			100mm Corro Side Barge Flashing (inc Drip Guard) - A232103		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232103	Edition 1	Sheet 1 / 1



1 : 1.5 100mm Corrugated Back Barge Flashing (inc Drip Guard) - A232210




1 : 3 Flat Pattern 100mm Corrugated Back Barge Flashing (inc Drip Guard) - A232210


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	463MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			100mm Corro Back Barge Flashing (inc Drip Guard) - A232210		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232210	Edition 1	Sheet 1 / 1



1 : 1 100mm Corrugated Receiver Channel (suits Drip Guard) - A231010




1 : 2 Flat Pattern 100mm Corrugated Receiver Channel (suits Drip Guard) - A231010


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	349MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
 <b>Apollo Roofing Solutions</b> Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			100mm Corro Receiver Channel (suits Drip Guard) - A231010		
A231010			Edition 1	Sheet 1 / 1	



1 : 1 100mm Corrugated Fascia Flashing (inc Drip Guard) - A233010




1 : 2 Flat Pattern 100mm Corrugated Fascia Flashing (inc Drip Guard) - A233010


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	297MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			100mm Corro Fascia Flashing (inc Drip Guard) - A233010		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A233010	Edition 1	Sheet 1 / 1



1 : 1.5 Corrugated 100mm Barge - A - 2395



1 : 2 Flat Pattern Corrugated 100mm Barge - A - 2395


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	455MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	92
B.3	DOWN	92
B.4	DOWN	180

6 5 4 3 2 1

D


D



1 : 1.5 Corrugated 100mm Receiver A - 2394

C

C



1 : 2 Flat Pattern Corrugated 100mm Receiver A - 2394

B

B

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	420MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	87
B.3	DOWN	98

A

A


Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			Corrugated 100mm Receiver - A - 2394		
			A2394	Edition 1	Sheet 1 / 1

6 5 4 3 2 1

6 5 4 3 2 1

D


D



C

C

1 : 1.5 Corrugated 100mm Receiver A - 2394 J



B

B

1 : 2 Flat Pattern Corrugated 100mm Receiver A - 2394 J

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	440MM
BENDS	4


BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	87
B.3	DOWN	96

A


A

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			Corrugated 100mm Receiver - A - 2394 J		
			A2394J	Edition 1	Sheet 1 / 1

6 5 4 3 2 1



1 : 1 Corrugated 100mm Receiver A - 2394 P



1 : 2 Flat Pattern Corrugated 100mm Receiver A - 2394 P


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	410MM
BENDS	3

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	87
B.2	DOWN	95
B.3	DOWN	5


Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
 <b>Apollo Roofing Solutions</b> Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			Corrugated 100mm Receiver - A - 2394 P		
			A2394P	Edition 1	Sheet 1 / 1



**Corrugated • 125mm**



1 : 1.5 125mm Corrugated Fascia Flashing (inc Drip Guard) - A233011




1 : 2 Flat Pattern 125mm Corrugated Fascia Flashing (inc Drip Guard) - A233011


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	322MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			125mm Corro Fascia Flashing (inc Drip Guard) - A233011		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A233011	Edition 1	Sheet 1 / 1




1 : 1.5 Corrugated 125mm Receiver - A - 2404 P




1 : 2 Flat Pattern Corrugated 125mm Receiver - A - 2404 P

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	450MM
BENDS	3

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	92
B.2	DOWN	92
B.3	DOWN	5




1 : 1.5 Corrugated 125mm Side Barge - A - 2405




1 : 2 Flat Pattern Corrugated 125mm Side Barge - A - 2405

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	480MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	92
B.3	DOWN	92
B.4	DOWN	180



1 : 2 125mm Corrugated Back Barge Flashing (inc Drip Guard) - A232211




1 : 3 Flat Pattern 125mm Corrugated Back Barge Flashing (inc Drip Guard) - A232211


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	489MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			125mm Corro Back Barge Flashing (inc Drip Guard) - A232211		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232211	Edition 1	Sheet 1 / 1




1 : 1.5 125mm Corrugated Receiver Channel (suits Drip Guard) - A231011




1 : 2 Flat Pattern 125mm Corrugated Receiver Channel (suits Drip Guard) - A231011

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	374MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5



1 : 1.5 125mm Corrugated Side Barge Flashing (inc Drip Guard) - A232104



1 : 3 Flat Pattern 125mm Corrugated Side Barge Flashing (inc Drip Guard) - A232104

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	517MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			125mm Corro Side Barge Flashing (inc Drip Guard) - A232104		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232104	Edition 1	Sheet 1 / 1




**Corrugated • 150mm**

6 5 4 3 2 1

D


D



C

C

1 : 2 150mm Corrugated Receiver Channel - A241J



B

B

1 : 3 Flat Pattern 150mm Corrugated Receiver Channel - A241J

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	505MM
BENDS	4


BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	96
B.2	DOWN	87
B.3	DOWN	180

A


A

Designed by L. MULHERN	Checked by	Approved by	Date	Date 16/06/2024	A3
			150mm Corrugated Receiver Channel - A241J		
Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A241J		Edition 1 Sheet 1 / 1

6 5 4 3 2 1




1 : 2 150mm Corrugated Receiver Channel - A2411P




1 : 3 Flat Pattern 150mm Corrugated Receiver Channel - A2411P

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	450MM
BENDS	3

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	92
B.2	UP	92
B.3	UP	10




1 : 2 150mm Corrugated Side Barge - A232108




1 : 3 Flat Pattern 150mm Corrugated Side Barge - A232108

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	515MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	95
B.3	DOWN	95
B.4	DOWN	180




1 : 1.5 150mm Corrugated Under Flashing - A2333




1 : 2 Flat Pattern 150mm Corrugated Under Flashing - A2333

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	230MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	UP	15
B.3	DOWN	112
B.4	DOWN	180



1 : 2 150mm Corrugated Side Barge Flashing (inc Drip Guard) - A232105




1 : 3 Flat Pattern 150mm Corrugated Side Barge Flashing (inc Drip Guard) - A232105


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	541MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			150mm Corro Side Barge Flashing (inc Drip Guard) - A232105		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232105	Edition 1	Sheet 1 / 1



1 : 2 150mm Corrugated Back Barge Flashing (inc Drip Guard) - A232212




1 : 3 Flat Pattern 150mm Corrugated Back Barge Flashing (inc Drip Guard) - A232212


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	513MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			150mm Corro Back Barge Flashing (inc Drip Guard) - A232212		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232212	Edition 1	Sheet 1 / 1




1 : 1.5 150mm Corrugated Receiver Channel (suits Drp Guard) - A231012




1 : 2 Flat Pattern 150mm Corrugated Receiver Channel (suits Drip Guard) - A231012

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	399MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5



1 : 1.5 150mm Corrugated Fascia Flashing (inc Drip Guard) - A233012



1 : 2 Flat Pattern 150mm Corrugated Fascia Flashing (inc Drip Guard) - A233012


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	347MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90


Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			150mm Corro Fascia Flashing (inc Drip Guard) - A233012		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A233012	Edition 1	Sheet 1 / 1



**Corrugated • 175mm**




1 : 2 175mm Corrugated Receiver Channel - A24131P




1 : 3 Flat Pattern 175mm Corrugated Receiver Channel - A24131P

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	475MM
BENDS	3

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	92
B.2	UP	92
B.3	UP	10




1 : 2 175mm Corrugated Receiver Channel - A231015




1 : 3 Flat Pattern 175mm Corrugated Receiver Channel - A231015

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	530MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	96
B.2	DOWN	87
B.3	DOWN	180



1 : 2 175mm Corrugated Side Barge - A232109




1 : 3 Flat Pattern 175mm Corrugated Side Barge - A232109


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	540MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.3	DOWN	95
B.2	DOWN	95
B.4	DOWN	180

Designed by L. MULHERN	Checked by	Approved by	Date	Date 16/06/2024	A3
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			175mm Corrugated Side Barge - A232109		
			A232109	Edition 1	Sheet 1 / 1




1 : 1.5 175mm Corrugated Under Flashing - A2334




1 : 2 Flat Pattern 175mm Corrugated Under Flashing - A2334

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	255MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	15
B.2	DOWN	112
B.3	DOWN	180
B.4	DOWN	180




1 : 2 175mm Corrugated Side Barge Flashing (inc Drip Guard) - A232106




1 : 3 Flat Pattern 175mm Corrugated Side Barge Flashing (inc Drip Guard) - A232106

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	566MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5



1 : 2 175mm Corrugated Back Barge Flashing (inc Drip Guard) - A232213




1 : 3 Flat Pattern 175mm Corrugated Back Barge Flashing (inc Drip Guard) - A232213


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	538MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
 <b>Apollo Roofing Solutions</b> Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			175mm Corro Back Barge Flashing (inc Drip Guard) - A232213		
A232213			Edition 1	Sheet 1 / 1	




1 : 1.5 175mm Corrugated Receiver Channel (suits Drip Guard) - A231013




1 : 3 Flat Pattern 175mm Corrugated Receiver Channel (suits Drip Guard) - A231013

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	424MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5



1 : 1.5 175mm Corrugated Fascia Flashing (inc Drip Guard) - A233013



1 : 3 Flat Pattern 175mm Corrugated Fascia Flashing (inc Drip Guard) - A233013


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	372MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90


Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			175mm Corro Fascia Flashing (inc Drip Guard) - A233013		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A233013	Edition 1	Sheet 1 / 1



**Corrugated • 200mm**




1 : 2 200mm Corrugated Receiver Channel - A24141P




1 : 3 Flat Pattern 200mm Corrugated Receiver Channel - A24141P

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	500MM
BENDS	3

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	92
B.2	UP	92
B.3	UP	10




1 : 2 200mm Corrugated Receiver Channel - A231016




1 : 3 Flat Pattern 200mm Corrugated Receiver Channel - A231016

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	555MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	96
B.2	DOWN	87
B.3	DOWN	180




1 : 2 200mm Corrugated Side Barge - A232110




1 : 3 Flat Pattern 200mm Corrugated Side Barge - A232110

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	570MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	95
B.3	DOWN	95
B.4	DOWN	180




1 : 2 200mm Corrugated Under Flashing - A2335




1 : 2 Flat Pattern 200mm Corrugated Under Flashing - A2335

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	280MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	UP	15
B.3	DOWN	112
B.4	DOWN	180



1 : 2 200mm Corrugated Side Barge Flashing (inc Drip Guard) - A232107




1 : 3 Flat Pattern 200mm Corrugated Side Barge Flashing (inc Drip Guard) - A232107

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	591MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
			200mm Corro Side Barge Flashing (inc Drip Guard) - A232107		
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			A232107	Edition 1	Sheet 1 / 1



1 : 2 200mm Corrugated Back Barge Flashing (inc Drip Guard) - A232214




1 : 3 Flat Pattern 200mm Corrugated Back Barge Flashing (inc Drip Guard) - A232214


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	563MM
BENDS	6

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	90
B.5	UP	90
B.6	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
 <b>Apollo Roofing Solutions</b> Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			200mm Corro Back Barge Flashing (inc Drip Guard) - A232214		
A232214			Edition 1	Sheet 1 / 1	



1 : 1.5 200mm Corrugated Receiver Channel (suits Drip Guard) - A231014




1 : 3 Flat Pattern 200mm Corrugated Receiver Channel (suits Drip Guard) - A231014


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	449MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	5
B.2	DOWN	90
B.3	DOWN	90
B.4	DOWN	5

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
 <b>Apollo Roofing Solutions</b> Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			200mm Corro Receiver Channel (suits Drip Guard) - A231014		
A231014			Edition 1	Sheet 1 / 1	



1 : 2 200mm Corrugated Fascia Flashing (inc Drip Guard) - A233014




1 : 3 Flat Pattern 200mm Corrugated Fascia Flashing (inc Drip Guard) - A233014

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	397MM
BENDS	5


BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	5
B.2	DOWN	90
B.3	UP	90
B.4	UP	90
B.5	DOWN	90



# Other Flashings




3 : 1 Apollo - Z - Flashing 2 - A - 226




1 : 1 Flat Pattern Apollo - Z - Flashing 2 - A - 226

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	60MM
BENDS	2

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	UP	90
B.2	DOWN	90




2 : 1 Apollo Flashing 2 - A - 225



1 : 1 Flat Pattern Apollo Flashing 2 - A - 225

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	190MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	95
B.3	DOWN	45




2 : 1 Single Skin Standard Barge - A1132




1 : 1 Flat Pattern Single Skin Standard Barge - A1132

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	180MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	92
B.3	DOWN	92



1 : 1 Structural Box Gutter - A - 129




1 : 2 Flat Pattern Structural Box Gutter - A - 129


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	340MM
BENDS	4

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	90
B.2	DOWN	90
B.3	UP	68
B.4	DOWN	90

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
 Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			Structural Box Gutter - A - 129		
			A129	Edition 1	Sheet 1 / 1




1 : 1 Gutter Beam Bracket



1 : 1 Flat Pattern Gutter Beam Bracket

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.2MM
GIRTH	200MM
BENDS	2

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	22
B.2	DOWN	90



1 : 1 Isometric End Caps 2 - A - 128



1 : 1 Flat Pattern End Caps 2 - A - 128


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	1.0MM
GIRTH	160MM
BENDS	3

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	90
B.2	DOWN	90
B.3	DOWN	90

6 5 4 3 2 1

D


D



1 : 2 Trimlink Ridge Cap 0.55mm - A1240

C

C



1 : 2 Flat Pattern Trimlink Ridge Cap 0.55mm - A1240

B

B

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	480MM
BENDS	3

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45
B.2	DOWN	45
B.3	DOWN	45

A

A


Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
 Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			Trimlink Ridge Cap 0.55mm - A1240		
			A1240	Edition 1	Sheet 1 / 1

6 5 4 3 2 1

6 5 4 3 2 1

D


D



1 : 1.5 Trimlink Top Flashing 2 - A - 234

C

C



1 : 2 Flat Pattern Trimlink Top Flashing 2 - A - 234

B

B

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	280MM
BENDS	1


BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	45

A


A

Designed by L. MULHERN	Checked by	Approved by	Date	Date 18/02/2024	A3
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au		Trimlink Top Flashing - A - 234			
		A234	Edition 1	Sheet 1 / 1	

6 5 4 3 2 1



1 : 2 Apollo Standard Corrugated Ridge Cap - A1246



1 : 3 Flat Pattern Apollo Standard Corrugated Ridge Cap - A1246


SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	480MM
BENDS	5

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180
B.2	DOWN	50
B.3	DOWN	180

6 5 4 3 2 1

D


D



1 : 1 Corrugated Top Flashing Insulated - A2341

C

C



1 : 1.5 Flat Pattern Corrugated Top Flashing Insulated - A2341

B

B

SPECIFICATION	UNIT
MATERIAL	
THICKNESS	0.55MM
GIRTH	255MM
BENDS	2

BEND ID	BEND DIRECTION	BEND ANGLE
B.1	DOWN	180

A

A

Designed by L. MULHERN	Checked by	Approved by	Date	Date 16/06/2024	A3
Apollo Roofing Solutions Head Office: 29 Corymbia Place Parkinson QLD Phone: (07) 3086 6099 Website: apolloroofingsolutions.com.au			Corrugated Top Flashing Insulated - A2341		
			A2341	Edition 1	Sheet 1 / 1

6 5 4 3 2 1



> [apolloroofingsolutions.com.au](http://apolloroofingsolutions.com.au)  
> (07) 3086 6099